

# Modular Diagnostic Tool 2.0

The Future of Diagnostics















# MDT<sup>®</sup> 2.0

The Modular Diagnostics Tool 2.0 offers you next to ODX and OTX standard also a MCD-3D server, simple and modern operation in Visual Studio<sup>®</sup> and multi-platform compatibility with only one workflow creation

## Key Features

-  **ODX acc. to ISO 22901-1**
-  **OTX acc. to ISO 13209**
-  **Multi platform support**
-  **High-performance runtime system**
-  **MCD-3D Server**
-  **ODX and OTX Editor**
-  **Supported standards: CANopen, SAE J2534, SAE J1939, ISO 15765 (KWP2000 on CAN), UDS, DoIP, ...**
-  **Sontheim Vehicle Communication Interfaces**
-  **RMI native**
-  **Direct Microsoft Project integration**

## Future proven diagnostic tool chain – based on standards

The new MDT<sup>®</sup> 2.0 offers a standardized way to access diagnostic data. The MDT<sup>®</sup> 2.0 tools offer various possibilities to create, structure and run diagnostic workflows using the industry standard OTX (Open Test sequence Exchange format) defined in ISO 13209. Re-use of your diagnostic service descriptions in ODX (Open Diagnostic Data Exchange) for service execution allows you to instantly achieve your desired results. On top of that MDT<sup>®</sup> 2.0 supports native RMI as well as an innovative OTX wizard (Sontheim OTX diagnostic wizard) to simplify OTX editing without breaking the ISO standard.

## Multi-platform support – one workflow for all applications



The Runtime was developed especially for multi-platform capabilities and offers GUI support as well as a platform-independent description of the runtime workflow language generated from your OTX and ODX files. This reduces implementation and testing effort for your diagnostic applications across multiple PC and embedded platforms. MDT<sup>®</sup> 2.0 allows you to develop your application once and have it running on Windows, Linux x86, Linux ARM, QNX and others.

The optimized runtime and the MCD-3D light server have been developed and optimized especially for embedded diagnostic applications. Thanks to the extremely slim runtime system, the diagnostic application can run directly embedded in the vehicle (for example on the terminal or a telemetry unit), which offers the user of the diagnostic application completely new diagnostic options.

## Modern design and graphical modules

The MDT® 2.0 Authoring Tool is based on Visual Studio in order to the needs of modern developers. A new, clear and modern design allows usage of Visual Studio Plug-Ins for SVN, Git and other development extensions

commonly used. In addition, new graphic elements like 2D and 3D animations can be used to make your diagnostic application more visually appealing and lower the learning curve for your service staff and diagnostic application users.



## Order information

V940800300	MDT® 2.0 Authoring system
C940800300	MDT® 2.0 Authoring system maintenance



**Mobile Automation**



**Industrial Automation**



**Diagnostics**



**Connectivity**

**We are looking forward to your enquiry!**

**Sontheim Industrie Elektronik GmbH**

Georg-Krug-Straße 2  
D-87437 Kempten  
Phone: +49 (0)831 575900-0  
Fax: +49 (0)831 575900-72  
Email: [info@s-i-e.de](mailto:info@s-i-e.de)

**Sontheim Electronic Systems L.P.**

201 West 2nd Street  
52801 Davenport, USA  
Phone: +1 563 888 1471  
Fax: +1 934 3384  
Email: [info@sontheim-esys.com](mailto:info@sontheim-esys.com)

[www.s-i-e.de](http://www.s-i-e.de)